



Iron measurements are used as an aid to monitor and diagnose **anemia**, hemochromatosis, chronic inflammatory disorders, hepatitis and lead poisoning.

METHOD: FERENE®; ENDPOINT

FEATURES:

FOR THE QUANTITATIVE MEASUREMENT OF IRON
Genzyme Iron-SL Reagent

Genzyme's Iron-SL Reagent uses a spectrophotometric method that is reliable, convenient, and is intended for the measurement of iron in serum.

- ✓ Two part stable liquid, ready to use reagent
- ✓ Excellent lipemic interference
- ✓ Applicable to multiple instrument platforms
- ✓ Multiple reagent formats available

BENEFITS:

- ✓ Easy to use, no additional preparation required
- ✓ Sample dilutions and pretreatment are not required
- ✓ Laboratory flexibility

ORDERING INFORMATION	CONFIGURATION	CATALOG NUMBER
<input type="radio"/> GENZYME IRON-SL	R1 1 X 100 mL R2 1 X 25 mL 1 X 10 mL CALIBRATOR*	157-10
<input type="radio"/> GENZYME IRON-SL	R1 3 X 100 mL R2 1 X 75 mL 1 X 10 mL CALIBRATOR*	157-30
<input type="radio"/> GENZYME IRON-SL	R1 1 X 1000 mL	157-01
<input type="radio"/> GENZYME IRON-SL	R2 1 X 250 mL	157-02
<input type="radio"/> GENZYME DC-CAL CALIBRATOR	5 X 3 mL	SE-035
<input type="radio"/> GENZYME DC-TROL LEVEL 1	10 X 5 mL	SM-052
<input type="radio"/> GENZYME DC-TROL LEVEL 2	10 X 5 mL	SM-056

*Calibrator for Manual Assays Only



THE AMERICAS
 31 New York Avenue
 Framingham, MA 01701-9322
 Phone: 800 332 1042
 Fax: 800 762 6311
 Email: usdiagcustomerservice@genzyme.com

INTERNATIONAL
 50 Gibson Drive
 Kings Hill, West Malling
 Kent, ME19 4AF, UK
 Phone: +44 (0) 1732 220022
 Fax: +44 (0) 1732 220024/5
 Email: ukdiagcustomerservice@genzyme.com

